ECODESIGN INFORMATION

www.sodeca.com

According to Regulation EU No 2024/1834 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SODECA, S.L.U.

a) fan type
b) fan efficiency [%]
c) VSD assumed in data
d) Measurement category
e) Efficiency category
f) N fan
g1) Pe [kW]
g2) qv [m³/h]
g3) Δp [Pa]
h1) dual use fan
h2) reversible fan
h3) low noise fan
i) DC voltage lower than 100 V
k) σBEP
l) fan speed [rpm]
m) specific ratio
j) p) q) significant elements, disassembly and recycling info on product manual

Model	a)	b)	c)	d)	e)	f)	g1)	g2)	g3)	h1)	h2)	h3)	i)	k)	l)	m)
CJTHT/PLUS-40-2/4T-1.5-F-400	Axial fan	51.8	VSD not necessary	C	Static	61.3	1.238	5389	428	Yes	No	No	No	0.00	2900	1.00
CJTHT/PLUS-45-2/4T-2-F-400	Axial fan	43.7	VSD not necessary	C	Static	52.2	1.539	7010	345	Yes	No	No	No	0.00	2875	1.00
CJTHT/PLUS-50-4T-0.75-F-400	Axial fan	35.6	VSD not necessary	C	Static	49.0	0.533	5269	130	Yes	No	No	No	0.00	1425	1.00
CJTHT/PLUS-56-4T-1-F-400 IE3	Axial fan	40.3	VSD not necessary	C	Static	51.8	0.802	7946	147	Yes	No	No	No	0.00	1410	1.00
CJTHT/PLUS-56-4T-1.5-F-400 IE3	Axial fan	36.4	VSD not necessary	C	Static	46.1	1.178	9750	158	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-56-4/8T-1.5-F-400	Axial fan	36.4	VSD not necessary	C	Static	46.1	1.178	9750	158	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-63-4T-1-F-400 IE3	Axial fan	51.9	VSD not necessary	C	Static	63.3	0.832	9246	168	Yes	No	No	No	0.00	1410	1.00
CJTHT/PLUS-63-4T-1.5-F-400 IE3	Axial fan	49.5	VSD not necessary	C	Static	59.4	1.154	10590	194	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-63-4/8T-1.5-F-400	Axial fan	49.5	VSD not necessary	C	Static	59.4	1.154	10590	194	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-63-4T-2-F-400 IE3	Axial fan	43.6	VSD not necessary	C	Static	52.3	1.505	12022	197	Yes	No	No	No	0.00	1435	1.00
CJTHT/PLUS-63-4/8T-2-F-400	Axial fan	43.6	VSD not necessary	C	Static	52.3	1.505	12022	197	Yes	No	No	No	0.00	1415	1.00
CJTHT/PLUS-63-4T-3-F-400 IE3	Axial fan	63.7	VSD not necessary	D	Total	70.3	2.374	20262	269	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-63-4/8T-3-F-400	Axial fan	63.5	VSD not necessary	D	Total	70.0	2.382	20262	269	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-63-4T-4-F-400 IE3	Axial fan	64.2	VSD not necessary	D	Total	69.8	2.935	24239	280	Yes	No	No	No	0.00	1455	1.00
CJTHT/PLUS-63-4/8T-4-F-400	Axial fan	64.0	VSD not necessary	D	Total	69.6	2.946	24239	280	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-63-6T-0.75-F-400	Axial fan	32.5	VSD not necessary	C	Static	45.0	0.644	8785	86	Yes	No	No	No	0.00	905	1.00
CJTHT/PLUS-63-6/12T-0.75-F-400	Axial fan	33.0	VSD not necessary	C	Static	45.6	0.634	8785	86	Yes	No	No	No	0.00	975	1.00
CJTHT/PLUS-63-6T-1-F-400 IE3	Axial fan	57.6	VSD not necessary	D	Total	68.5	0.920	15881	120	Yes	No	No	No	0.00	935	1.00
CJTHT/PLUS-63-6/12T-1-F-400	Axial fan	57.9	VSD not necessary	D	Total	68.8	0.916	15881	120	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-71-4T-1.5-F-400 IE3	Axial fan	49.5	VSD not necessary	C	Static	58.8	1.302	12395	187	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-71-4/8T-1.5-F-400	Axial fan	49.5	VSD not necessary	C	Static	58.8	1.302	12395	187	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-71-4T-2-F-400 IE3	Axial fan	49.9	VSD not necessary	C	Static	58.7	1.452	13321	196	Yes	No	No	No	0.00	1435	1.00
CJTHT/PLUS-71-4/8T-2-F-400	Axial fan	49.9	VSD not necessary	C	Static	58.7	1.452	13321	196	Yes	No	No	No	0.00	1415	1.00
CJTHT/PLUS-71-4T-3-F-400 IE3	Axial fan	44.2	VSD not necessary	C	Static	50.9	2.297	17049	214	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-71-4/8T-3-F-400	Axial fan	44.0	VSD not necessary	C	Static	50.7	2.305	17049	214	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-71-4T-4-F-400 IE3	Axial fan	41.9	VSD not necessary	C	Static	47.5	2.893	19373	225	Yes	No	No	No	0.00	1455	1.00
CJTHT/PLUS-71-4/8T-4-F-400	Axial fan	41.7	VSD not necessary	C	Static	47.4	2.903	19373	225	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-71-6T-0.75-F-400	Axial fan	38.9	VSD not necessary	C	Static	51.0	0.703	10728	92	Yes	No	No	No	0.00	905	1.00
CJTHT/PLUS-71-6/12T-0.75-F-400	Axial fan	39.5	VSD not necessary	C	Static	51.6	0.693	10728	92	Yes	No	No	No	0.00	975	1.00
CJTHT/PLUS-71-6T-1-F-400 IE3	Axial fan	38.9	VSD not necessary	C	Static	50.2	0.833	12418	94	Yes	No	No	No	0.00	935	1.00
CJTHT/PLUS-71-6/12T-1-F-400	Axial fan	39.0	VSD not necessary	C	Static	50.4	0.830	12418	94	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-71-6T-1.5-F-400 IE3	Axial fan	61.4	VSD not necessary	D	Total	71.2	1.146	18201	139	Yes	No	No	No	0.00	930	1.00
CJTHT/PLUS-71-6/12T-1.5-F-400	Axial fan	61.7	VSD not necessary	D	Total	71.6	1.141	18201	139	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-80-4T-3-F-400 IE3	Axial fan	48.6	VSD not necessary	C	Static	55.2	2.343	16940	242	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-80-4/8T-3-F-400	Axial fan	48.4	VSD not necessary	C	Static	55.0	2.351	16940	242	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-80-4T-4-F-400 IE3	Axial fan	45.8	VSD not necessary	C	Static	50.8	3.310	20401	267	Yes	No	No	No	0.00	1455	1.00

ECODESIGN INFORMATION

According to Regulation EU No 2024/1834 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SODECA, S.L.U.

Model	a)	b)	c)	d)	e)	f)	g1)	g2)	g3)	h1)	h2)	h3)	i)	k)	l)	m)
CJTHT/PLUS-80-4/8T-4-F-400	Axial fan	45.6	VSD not necessary	C	Static	50.6	3.321	20401	267	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-80-4T-5.5-F-400 IE3	Axial fan	44.8	VSD not necessary	C	Static	49.1	3.904	22170	284	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-80-4/8T-5.5-F-400	Axial fan	44.6	VSD not necessary	C	Static	48.9	3.921	22170	284	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-80-6T-1.5-F-400 IE3	Axial fan	40.8	VSD not necessary	C	Static	50.4	1.206	14525	122	Yes	No	No	No	0.00	930	1.00
CJTHT/PLUS-80-6/12T-1.5-F-400	Axial fan	41.0	VSD not necessary	C	Static	50.6	1.200	14525	122	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-80-6T-2-F-400 IE3	Axial fan	39.8	VSD not necessary	C	Static	47.8	1.738	17646	141	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-80-6/12T-2-F-400	Axial fan	39.7	VSD not necessary	C	Static	47.7	1.742	17646	141	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-80-6T-3-F-400 IE3	Axial fan	65.0	VSD not necessary	D	Total	71.9	2.211	26252	197	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-80-6/12T-3-F-400	Axial fan	65.0	VSD not necessary	D	Total	71.9	2.211	26252	197	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-80-8T-0.75-F-400	Axial fan	49.3	VSD not necessary	D	Total	61.3	0.720	15252	84	Yes	No	No	No	0.00	680	1.00
CJTHT/PLUS-80-8T-1-F-400	Axial fan	37.2	VSD not necessary	C	Static	48.1	0.923	14145	87	Yes	No	No	No	0.00	710	1.00
CJTHT/PLUS-90-4T-4-F-400 IE3	Axial fan	53.4	VSD not necessary	C	Static	59.0	2.948	19559	290	Yes	No	No	No	0.00	1455	1.00
CJTHT/PLUS-90-4/8T-4-F-400	Axial fan	53.2	VSD not necessary	C	Static	58.8	2.958	19559	290	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-90-4T-5.5-F-400 IE3	Axial fan	51.9	VSD not necessary	C	Static	56.2	3.942	24968	295	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-90-4/8T-5.5-F-400	Axial fan	51.7	VSD not necessary	C	Static	55.9	3.960	24968	295	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-90-4T-7.5-F-400 IE3	Axial fan	49.0	VSD not necessary	C	Static	51.2	6.088	31608	339	Yes	No	No	No	0.00	1455	1.00
CJTHT/PLUS-90-4/8T-7.5-F-400	Axial fan	48.7	VSD not necessary	C	Static	51.0	6.115	31608	339	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-90-4T-10-F-400 IE3	Axial fan	46.1	VSD not necessary	C	Static	47.3	7.725	35139	365	Yes	No	No	No	0.00	1460	1.00
CJTHT/PLUS-90-4/8T-10-F-400	Axial fan	46.1	VSD not necessary	C	Static	47.3	7.725	35139	365	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-90-6T-2-F-400 IE3	Axial fan	46.5	VSD not necessary	C	Static	54.8	1.602	19430	138	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-90-6/12T-2-F-400	Axial fan	46.4	VSD not necessary	C	Static	54.7	1.606	19430	138	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-90-6T-3-F-400 IE3	Axial fan	41.7	VSD not necessary	C	Static	47.8	2.584	23856	162	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-90-6/12T-3-F-400	Axial fan	41.7	VSD not necessary	C	Static	47.8	2.584	23856	162	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-90-6T-4-F-400 IE3	Axial fan	64.7	VSD not necessary	D	Total	69.7	3.358	34217	229	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-90-6/12T-4-F-400	Axial fan	64.2	VSD not necessary	D	Total	69.1	3.386	34217	229	Yes	No	No	No	0.00	980	1.00
CJTHT/PLUS-90-8T-1-F-400	Axial fan	40.3	VSD not necessary	C	Static	51.2	0.906	15695	84	Yes	No	No	No	0.00	710	1.00
CJTHT/PLUS-90-8T-2-F-400	Axial fan	58.0	VSD not necessary	D	Total	66.2	1.680	26193	134	Yes	No	No	No	0.00	700	1.00
CJTHT/PLUS-90-8T-3-F-400	Axial fan	61.1	VSD not necessary	D	Total	69.1	1.719	27304	138	Yes	No	No	No	0.00	710	1.00
CJTHT/PLUS-100-4T-7.5-F-400 IE3	Axial fan	53.6	VSD not necessary	C	Static	56.6	5.107	30352	324	Yes	No	No	No	0.00	1455	1.00
CJTHT/PLUS-100-4/8T-7.5-F-400	Axial fan	53.3	VSD not necessary	C	Static	56.4	5.130	30352	324	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-100-4T-10-F-400 IE3	Axial fan	48.9	VSD not necessary	C	Static	49.9	8.104	37812	377	Yes	No	No	No	0.00	1460	1.00
CJTHT/PLUS-100-4/8T-10-F-400	Axial fan	50.9	VSD not necessary	C	Static	52.6	6.960	35383	361	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-100-4T-15-F-400 IE3	Axial fan	68.3	VSD not necessary	D	Total	68.2	11.209	56718	486	Yes	No	No	No	0.00	1460	1.00
CJTHT/PLUS-100-4/8T-15-F-400	Axial fan	68.3	VSD not necessary	D	Total	68.2	11.209	56718	486	Yes	No	No	No	0.00	1470	1.00
CJTHT/PLUS-100-4T-20-F-400 IE3	Axial fan	66.3	VSD not necessary	D	Total	65.9	15.536	66466	558	Yes	No	No	No	0.00	1460	1.01
CJTHT/PLUS-100-4/8T-20-F-400	Axial fan	66.3	VSD not necessary	D	Total	65.9	15.536	66466	558	Yes	No	No	No	0.00	1470	1.01
CJTHT/PLUS-100-4T/9-15-F-400 IE3	Axial fan	49.3	VSD not necessary	C	Static	49.1	11.928	41598	509	Yes	No	No	No	0.00	1460	1.01
CJTHT/PLUS-100-4T/9-20-F-400 IE3	Axial fan	47.7	VSD not necessary	C	Static	47.3	15.205	47758	547	Yes	No	No	No	0.00	1460	1.01
CJTHT/PLUS-100-4T/9-25-F-400 IE3	Axial fan	65.2	VSD not necessary	D	Total	64.6	18.156	59797	713	Yes	No	No	No	0.00	1475	1.01
CJTHT/PLUS-100-4T/9-30-F-400 IE3	Axial fan	65.2	VSD not necessary	D	Total	64.4	22.195	64542	808	Yes	No	No	No	0.00	1475	1.01
CJTHT/PLUS-100-6T-3-F-400 IE3	Axial fan	45.6	VSD not necessary	C	Static	52.0	2.444	24773	162	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-100-6/12T-3-F-400	Axial fan	45.6	VSD not necessary	C	Static	52.0	2.444	24773	162	Yes	No	No	No	0.00	970	1.00

ECODESIGN INFORMATION

According to Regulation EU No 2024/1834 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SODECA, S.L.U.

Model	a)	b)	c)	d)	e)	f)	g1)	g2)	g3)	h1)	h2)	h3)	i)	k)	l)	m)
CJTHT/PLUS-100-6T-4-F-400 IE3	Axial fan	44.7	VSD not necessary	C	Static	50.0	3.080	27666	179	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-100-6/12T-4-F-400	Axial fan	44.3	VSD not necessary	C	Static	49.6	3.106	27666	179	Yes	No	No	No	0.00	980	1.00
CJTHT/PLUS-100-6T-5.5-F-400 IE3	Axial fan	64.8	VSD not necessary	D	Total	68.8	4.152	41866	231	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-100-6T/9-5.5-F-400 IE3	Axial fan	46.2	VSD not necessary	C	Static	50.1	4.265	29932	237	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-100-6T/9-7.5-F-400 IE3	Axial fan	61.7	VSD not necessary	D	Total	64.3	5.685	39865	317	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-100-6T/9-10-F-400 IE3	Axial fan	64.3	VSD not necessary	D	Total	65.3	8.105	46285	405	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-40-2/4T-1.5-F-300	Axial fan	51.8	VSD not necessary	C	Static	61.3	1.238	5389	428	Yes	No	No	No	0.00	2900	1.00
CJTHT/PLUS-45-2/4T-2-F-300	Axial fan	43.7	VSD not necessary	C	Static	52.2	1.539	7010	345	Yes	No	No	No	0.00	2940	1.00
CJTHT/PLUS-50-4T-0.75-F-300	Axial fan	37.4	VSD not necessary	C	Static	51.0	0.508	5269	130	Yes	No	No	No	0.00	1425	1.00
CJTHT/PLUS-56-4T-1-F-300 IE3	Axial fan	40.8	VSD not necessary	C	Static	52.4	0.793	7946	147	Yes	No	No	No	0.00	1425	1.00
CJTHT/PLUS-56-4T-1.5-F-300 IE3	Axial fan	36.8	VSD not necessary	C	Static	46.6	1.165	9750	158	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-56-4/8T-1.5-F-300	Axial fan	36.4	VSD not necessary	C	Static	46.1	1.178	9750	158	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-63-4T-1-F-300 IE3	Axial fan	52.6	VSD not necessary	C	Static	64.0	0.822	9246	168	Yes	No	No	No	0.00	1425	1.00
CJTHT/PLUS-63-4T-1.5-F-300 IE3	Axial fan	50.0	VSD not necessary	C	Static	59.9	1.142	10590	194	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-63-4/8T-1.5-F-300	Axial fan	49.5	VSD not necessary	C	Static	59.4	1.154	10590	194	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-63-4T-2-F-300 IE3	Axial fan	44.5	VSD not necessary	C	Static	53.2	1.475	12022	197	Yes	No	No	No	0.00	1425	1.00
CJTHT/PLUS-63-4/8T-2-F-300	Axial fan	43.6	VSD not necessary	C	Static	52.3	1.505	12022	197	Yes	No	No	No	0.00	1415	1.00
CJTHT/PLUS-63-4T-3-F-300 IE3	Axial fan	64.5	VSD not necessary	D	Total	71.1	2.347	20262	269	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-63-4/8T-3-F-300	Axial fan	63.5	VSD not necessary	D	Total	70.0	2.382	20262	269	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-63-4T-4-F-300 IE3	Axial fan	64.9	VSD not necessary	D	Total	70.6	2.902	24239	280	Yes	No	No	No	0.00	1420	1.00
CJTHT/PLUS-63-4/8T-4-F-300	Axial fan	64.0	VSD not necessary	D	Total	69.6	2.946	24239	280	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-63-6T-0.75-F-300	Axial fan	32.5	VSD not necessary	C	Static	45.0	0.644	8785	86	Yes	No	No	No	0.00	930	1.00
CJTHT/PLUS-63-6/12T-0.75-F-300	Axial fan	32.5	VSD not necessary	C	Static	45.0	0.644	8785	86	Yes	No	No	No	0.00	930	1.00
CJTHT/PLUS-63-6T-1-F-300 IE3	Axial fan	57.6	VSD not necessary	D	Total	68.5	0.920	15881	120	Yes	No	No	No	0.00	940	1.00
CJTHT/PLUS-63-6/12T-1-F-300	Axial fan	57.6	VSD not necessary	D	Total	68.4	0.921	15881	120	Yes	No	No	No	0.00	935	1.00
CJTHT/PLUS-71-4T-1.5-F-300 IE3	Axial fan	50.0	VSD not necessary	C	Static	59.4	1.288	12395	187	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-71-4/8T-1.5-F-300	Axial fan	49.5	VSD not necessary	C	Static	58.8	1.302	12395	187	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-71-4T-2-F-300 IE3	Axial fan	50.9	VSD not necessary	C	Static	59.8	1.423	13321	196	Yes	No	No	No	0.00	1425	1.00
CJTHT/PLUS-71-4/8T-2-F-300	Axial fan	49.9	VSD not necessary	C	Static	58.7	1.452	13321	196	Yes	No	No	No	0.00	1415	1.00
CJTHT/PLUS-71-4T-3-F-300 IE3	Axial fan	44.7	VSD not necessary	C	Static	51.4	2.271	17049	214	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-71-4/8T-3-F-300	Axial fan	44.0	VSD not necessary	C	Static	50.7	2.305	17049	214	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-71-4T-4-F-300 IE3	Axial fan	42.4	VSD not necessary	C	Static	48.1	2.860	19373	225	Yes	No	No	No	0.00	1420	1.00
CJTHT/PLUS-71-4/8T-4-F-300	Axial fan	41.7	VSD not necessary	C	Static	47.4	2.903	19373	225	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-71-6T-0.75-F-300	Axial fan	38.9	VSD not necessary	C	Static	51.0	0.703	10728	92	Yes	No	No	No	0.00	930	1.00
CJTHT/PLUS-71-6/12T-0.75-F-300	Axial fan	38.9	VSD not necessary	C	Static	51.0	0.703	10728	92	Yes	No	No	No	0.00	930	1.00
CJTHT/PLUS-71-6T-1-F-300 IE3	Axial fan	38.9	VSD not necessary	C	Static	50.2	0.833	12418	94	Yes	No	No	No	0.00	940	1.00
CJTHT/PLUS-71-6/12T-1-F-300	Axial fan	38.8	VSD not necessary	C	Static	50.1	0.834	12418	94	Yes	No	No	No	0.00	935	1.00
CJTHT/PLUS-71-6T-1.5-F-300 IE3	Axial fan	61.4	VSD not necessary	D	Total	71.2	1.146	18201	139	Yes	No	No	No	0.00	945	1.00
CJTHT/PLUS-71-6/12T-1.5-F-300	Axial fan	61.4	VSD not necessary	D	Total	71.2	1.146	18201	139	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-80-4T-3-F-300 IE3	Axial fan	49.1	VSD not necessary	C	Static	55.8	2.317	16940	242	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-80-4/8T-3-F-300	Axial fan	48.4	VSD not necessary	C	Static	55.0	2.351	16940	242	Yes	No	No	No	0.00	1430	1.00
CJTHT/PLUS-80-4T-4-F-300 IE3	Axial fan	46.3	VSD not necessary	C	Static	51.4	3.273	20401	267	Yes	No	No	No	0.00	1420	1.00

ECODESIGN INFORMATION

www.sodeca.com

According to Regulation EU No 2024/1834 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SODECA, S.L.U.

Model	a)	b)	c)	d)	e)	f)	g1)	g2)	g3)	h1)	h2)	h3)	i)	k)	l)	m)
CJTHT/PLUS-80-4/8T-4-F-300	Axial fan	45.6	VSD not necessary	C	Static	50.6	3.321	20401	267	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-80-4T-5.5-F-300 IE3	Axial fan	45.3	VSD not necessary	C	Static	49.6	3.860	22170	284	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-80-4/8T-5.5-F-300	Axial fan	44.6	VSD not necessary	C	Static	48.9	3.921	22170	284	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-80-6T-1.5-F-300 IE3	Axial fan	40.8	VSD not necessary	C	Static	50.4	1.206	14525	122	Yes	No	No	No	0.00	945	1.00
CJTHT/PLUS-80-6/12T-1.5-F-300	Axial fan	40.8	VSD not necessary	C	Static	50.4	1.206	14525	122	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-80-6T-2-F-300 IE3	Axial fan	39.8	VSD not necessary	C	Static	47.8	1.738	17646	141	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-80-6/12T-2-F-300	Axial fan	39.6	VSD not necessary	C	Static	47.5	1.749	17646	141	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-80-6T-3-F-300 IE3	Axial fan	65.0	VSD not necessary	D	Total	71.9	2.211	26252	197	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-80-6/12T-3-F-300	Axial fan	65.0	VSD not necessary	D	Total	71.9	2.211	26252	197	Yes	No	No	No	0.00	940	1.00
CJTHT/PLUS-80-8T-0.75-F-300	Axial fan	49.3	VSD not necessary	D	Total	61.3	0.720	15252	84	Yes	No	No	No	0.00	680	1.00
CJTHT/PLUS-80-8T-1-F-300	Axial fan	37.7	VSD not necessary	C	Static	48.6	0.911	14145	87	Yes	No	No	No	0.00	710	1.00
CJTHT/PLUS-90-4T-4-F-300 IE3	Axial fan	54.0	VSD not necessary	C	Static	59.6	2.915	19559	290	Yes	No	No	No	0.00	1420	1.00
CJTHT/PLUS-90-4/8T-4-F-300	Axial fan	53.2	VSD not necessary	C	Static	58.8	2.958	19559	290	Yes	No	No	No	0.00	1440	1.00
CJTHT/PLUS-90-4T-5.5-F-300 IE3	Axial fan	52.5	VSD not necessary	C	Static	56.8	3.898	24968	295	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-90-4/8T-5.5-F-300	Axial fan	51.7	VSD not necessary	C	Static	55.9	3.960	24968	295	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-90-4T-7.5-F-300 IE3	Axial fan	49.0	VSD not necessary	C	Static	51.2	6.088	31608	339	Yes	No	No	No	0.00	1460	1.00
CJTHT/PLUS-90-4/8T-7.5-F-300	Axial fan	48.7	VSD not necessary	C	Static	51.0	6.115	31608	339	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-90-4T-10-F-300 IE3	Axial fan	46.4	VSD not necessary	C	Static	47.6	7.674	35139	365	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-90-4/8T-10-F-300	Axial fan	46.1	VSD not necessary	C	Static	47.3	7.725	35139	365	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-90-6T-2-F-300 IE3	Axial fan	46.5	VSD not necessary	C	Static	54.8	1.602	19430	138	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-90-6/12T-2-F-300	Axial fan	46.2	VSD not necessary	C	Static	54.5	1.611	19430	138	Yes	No	No	No	0.00	970	1.00
CJTHT/PLUS-90-6T-3-F-300 IE3	Axial fan	41.7	VSD not necessary	C	Static	47.8	2.584	23856	162	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-90-6/12T-3-F-300	Axial fan	41.7	VSD not necessary	C	Static	47.8	2.584	23856	162	Yes	No	No	No	0.00	940	1.00
CJTHT/PLUS-90-6T-4-F-300 IE3	Axial fan	64.7	VSD not necessary	D	Total	69.7	3.358	34217	229	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-90-6/12T-4-F-300	Axial fan	64.4	VSD not necessary	D	Total	69.4	3.374	34217	229	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-90-8T-1-F-300	Axial fan	40.8	VSD not necessary	C	Static	51.8	0.894	15695	84	Yes	No	No	No	0.00	710	1.00
CJTHT/PLUS-90-8T-2-F-300	Axial fan	37.1	VSD not necessary	C	Static	45.5	1.603	20868	103	Yes	No	No	No	0.00	710	1.00
CJTHT/PLUS-90-8T-3-F-300	Axial fan	61.8	VSD not necessary	D	Total	69.9	1.698	27304	138	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-100-4T-7.5-F-300 IE3	Axial fan	53.6	VSD not necessary	C	Static	56.6	5.107	30352	324	Yes	No	No	No	0.00	1460	1.00
CJTHT/PLUS-100-4/8T-7.5-F-300	Axial fan	53.3	VSD not necessary	C	Static	56.4	5.130	30352	324	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-100-4T-10-F-300 IE3	Axial fan	49.2	VSD not necessary	C	Static	50.2	8.050	37812	377	Yes	No	No	No	0.00	1445	1.00
CJTHT/PLUS-100-4/8T-10-F-300	Axial fan	50.9	VSD not necessary	C	Static	52.6	6.960	35383	361	Yes	No	No	No	0.00	1450	1.00
CJTHT/PLUS-100-4T-15-F-300 IE3	Axial fan	68.7	VSD not necessary	D	Total	68.7	11.136	56718	486	Yes	No	No	No	0.00	1470	1.00
CJTHT/PLUS-100-4/8T-15-F-300	Axial fan	68.3	VSD not necessary	D	Total	68.2	11.209	56718	486	Yes	No	No	No	0.00	1470	1.00
CJTHT/PLUS-100-4T-20-F-300 IE3	Axial fan	67.0	VSD not necessary	D	Total	66.6	15.386	66466	558	Yes	No	No	No	0.00	1470	1.01
CJTHT/PLUS-100-4/8T-20-F-300	Axial fan	66.3	VSD not necessary	D	Total	65.9	15.536	66466	558	Yes	No	No	No	0.00	1470	1.01
CJTHT/PLUS-100-4T/9-15-F-300 IE3	Axial fan	49.6	VSD not necessary	C	Static	49.5	11.850	41598	509	Yes	No	No	No	0.00	1470	1.01
CJTHT/PLUS-100-4T/9-20-F-300 IE3	Axial fan	48.2	VSD not necessary	C	Static	47.8	15.058	47758	547	Yes	No	No	No	0.00	1470	1.01
CJTHT/PLUS-100-4T/9-25-F-300 IE3	Axial fan	65.2	VSD not necessary	D	Total	64.6	18.156	59797	713	Yes	No	No	No	0.00	1475	1.01
CJTHT/PLUS-100-4T/9-30-F-300 IE3	Axial fan	65.9	VSD not necessary	D	Total	65.1	21.959	64542	808	Yes	No	No	No	0.00	1475	1.01
CJTHT/PLUS-100-6T-3-F-300 IE3	Axial fan	45.6	VSD not necessary	C	Static	52.0	2.444	24773	162	Yes	No	No	No	0.00	950	1.00
CJTHT/PLUS-100-6/12T-3-F-300	Axial fan	45.6	VSD not necessary	C	Static	52.0	2.444	24773	162	Yes	No	No	No	0.00	940	1.00

ECODESIGN INFORMATION

According to Regulation EU No 2024/1834 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SODECA, S.L.U.

Model	a)	b)	c)	d)	e)	f)	g1)	g2)	g3)	h1)	h2)	h3)	i)	k)	l)	m)
CJTHT/PLUS-100-6T-4-F-300 IE3	Axial fan	44.7	VSD not necessary	C	Static	50.0	3.080	27666	179	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-100-6/12T-4-F-300	Axial fan	44.5	VSD not necessary	C	Static	49.8	3.095	27666	179	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-100-6T-5.5-F-300 IE3	Axial fan	64.8	VSD not necessary	D	Total	68.8	4.152	41866	231	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-100-6T/9-5.5-F-300 IE3	Axial fan	46.2	VSD not necessary	C	Static	50.1	4.265	29932	237	Yes	No	No	No	0.00	960	1.00
CJTHT/PLUS-100-6T/9-7.5-F-300 IE3	Axial fan	61.7	VSD not necessary	D	Total	64.3	5.685	39865	317	Yes	No	No	No	0.00	965	1.00
CJTHT/PLUS-100-6T/9-10-F-300 IE3	Axial fan	63.7	VSD not necessary	D	Total	64.6	8.187	46285	405	Yes	No	No	No	0.00	970	1.00