




CGR-UVc

GERMICIDAL CHAMBER
FOR RECTANGULAR
DUCTS


CG/LP-UVc

GERMICIDAL CHAMBER
FOR CIRCULAR
DUCTS

- ELIMINATES VIRUSES AND BACTERIA
- IMPROVES HYGIENE CONDITIONS
- DISINFECTION OF THE THROUGH-AIR
- INCREASED INDOOR AIR QUALITY
- FOR EXISTING VENTILATION INSTALLATIONS




FILTRATION
STAGES



CGR-UVc



Germicidal chamber without a fan for rectangular ducts equipped with UVc ultraviolet lamps and with the option of including filtration stages. Ideal for installation in existing air conditioning and ventilation systems.



Characteristics:

- Germicidal chamber with UVc lamps (256 nm).
- Maintenance access panel.
- Easy to install.
- Low profile models for installation in false ceilings.
- Filtration stage options of F7 + F9 or F7 + HEPA H14.
- Filters can be easily and quickly replaced using the guide slots.
- Inlet and outlet flanges allow easy installation in duct work.
- Includes safety features for handling and maintenance of ultraviolet lamps in accordance with standard UNE 0068:2020.

CG/LP-UVc



Germicidal chamber without a fan for circular ducts equipped with UVc ultraviolet lamps and with the option of including filtration stages. Ideal for installation in existing air conditioning and ventilation systems.



Finish:

- CGR-UVc: Anti-corrosive finish on galvanised sheet steel.
- CG/LP-UV: Anti-corrosive finish of polyester resin polymerised at 190 °C, previously degreased with phosphate-free nano-technological treatment.

Order code

CGR-UVc - 5030 - 0

↓ ↓ ↓

Germicidal chamber for rectangular ducts Duct section 0: Without filters F7 + F9 filter


CG/LP-UVc 315 0

↓ ↓ ↓

Germicidal chamber for circular ducts Duct diameter 0: Without filters F7 + F9 filter F7 + HEPA H14 filter

Technical characteristics of the UVc germicidal chamber

Depending on the model, these purification units can incorporate a germicidal chamber that utilises UVc ultraviolet lamps at 256nm wave length, which is the optimum amplitude for deactivating most micro-organisms by absorbing short wavelength energy through the DNA and RNA. Refer to the specific document for a list of the types of viruses or bacteria that are affected by the dose of radiation emitted inside the germicidal chamber.




Model	Number of lamps	Total electric power (W)	Total radiated power UVc (W)
CGR-UVc-4020	4	36	11.2
CGR-UVc-5030	6	54	16.8
CGR-UVc-6030	6	54	16.8
CGR-UVc-6035	4	102	28
CGR-UVc-7040	6	153	42
CGR-UVc-8050	6	153	42


Model	Number of lamps	Total electric power (W)	Total radiated power UVc (W)
CG/LP-UVc-200	4	36	11.2
CG/LP-UVc-250	4	36	11.2
CG/LP-UVc-315	4	102	28
CG/LP-UVc-350	4	102	28

Dose calculation

CGR-UVc



CG/LP-UVc



Technical characteristics with filter

Model	Maximum flow rate (m³/h)	Weight (kg)
	Filters (F7 + F9)	
CGR-UVc-4020	1833	16
CGR-UVc-5030	3247	20
CGR-UVc-6030	3896	28
CGR-UVc-6035	4545	32
CGR-UVc-7040	6061	40
CGR-UVc-8050	8658	50

Model	Maximum flow rate (m³/h)		Weight (kg)
	Filters (F7 + F9)	Filters (F7 + H14)	
CG/LP-UVc-200	590	430	6.1
CG/LP-UVc-250	660	560	9.2
CG/LP-UVc-315	1035	850	10.4
CG/LP-UVc-350	1550	1270	12.5

Characteristics of the filters

Filters	EN 779 Em	EN 1822	ISO 16890		
			ISO ePM ₁	ISO ePM _{2.5}	ISO ePM ₁₀
F7	90%	-	>50%	>65-95%	>85%
F9	95%	-	>80%	>95%	>95%
HEPA H14	-	>99.995%	-	-	-

Accessories




Filter load loss

Q = Flow rate in m³/h, m³/s and cfm.

Pe = Static pressure in mmH₂O, Pa and inwg.


CGR-UVc

F7 + F9



CG/LP-UVc

F7 + F9




Filter load loss

Q = Flow rate in m³/h, m³/s and cfm.

Pe = Static pressure in mmH₂O, Pa and inwg.


CG/LP-UVc

F7 + HEPA H14




Dimensions mm

CGR-UVc



Model	A	B	C	ØF	G	H
CGR-UVc-4020	440	240	415	Ø9	420	220
CGR-UVc-5030	540	340	495	Ø9	520	320
CGR-UVc -6030	640	340	610	Ø9	620	320
CGR-UVc -6035	640	390	610	Ø9	620	370
CGR-UVc -7040	740	440	705	Ø9	720	420
CGR-UVc -8050	840	540	825	Ø9	820	520

CG/LP-UVc



Model	A	B	C1	C2	ØD1	L
CG/LP-UVc-200	543	395	117	275	198.5	34
CG/LP-UVc-250	550	420	140	294	248.5	48
CG/LP-UVc-315	567	421	175	372	313.5	58
CG/LP-UVc-350	599	610	200	411	353.5	56

Model	ØD2	EC1	EC2	T
CG/LP-UVc-200	4.3	420	360	611.5
CG/LP-UVc-250	4.3	420	320	646.5
CG/LP-UVc-315	4.3	450	439	683
CG/LP-UVc-350	4.3	468	525	711



HEADQUARTERS

Sodeca, S.L.U.

Pol. Ind. La Barricona
Carrer del Metall, 2
E-17500 Ripoll
Girona, SPAIN
Tel. +34 93 852 91 11
Fax +34 93 852 90 42
General sales: comercial@sodeca.com
Export sales: ventilation@sodeca.com

PRODUCTION PLANT

Sodeca, S.L.U.

Ctra. de Berga, km 0,7
E-08580 Sant Quirze de Besora
Barcelona, SPAIN
Tel. +34 93 852 91 11
Fax +34 93 852 90 42
General sales: comercial@sodeca.com
Export sales: ventilation@sodeca.com



EUROPE

FINLAND

Sodeca Finland, Oy

HUITTINEN
Sales and Warehouse
Mr. Kai Yli-Sipilä
Metsälinnankatu 26
FI-32700 Huittinen
Tel. + 358 400 320 125
orders.finland@sodeca.com

HELSINKI
Smoke Control Solutions
Mr. Antti Kontkanen
Viippulantie 9C
FI-00700 Helsinki
Tel. +358 400 237 434
akontkanen@sodeca.com

HYVINKÄÄ
Industrial Applications
Mr. Jaakko Tomperi
Niinistökatu 12
FI-05800 Hyvinkää
Tel. +358 451 651 333
jtomperi@sodeca.com

ITALIA

Marelli Ventilazione, S.R.L.

SAN MARTINO B.A.
Viale del Lavoro, 28
37036 San Martino B.A.
(VR), ITALY
Tel. +39 045 87 80 140
vendite@sodeca.com

PORTUGAL

Sodeca Portugal, Unip. Lda.

PORTO
Rua Veloso Salgado 1120/1138
4450-801 Leça de Palmeira
Tel. +351 229 991 100
geral@sodeca.pt

LISBOA
Pq. Emp. da Granja Pav. 29
2625-607 Vialonga
Tel. +351 219 748 491
geral@sodeca.pt

ALGARVE
Rua da Alegria S/N
8200-569 Ferreiras
Tel. +351 289 092 586
geral@sodeca.pt

UNITED KINGDOM

Sodeca Fans UK, Ltd.

Mr. Mark Newcombe
Tamworth Enterprise Centre
Philip Dix House, Corporation
Street, Tamworth, B79 7DN
UNITED KINGDOM
Tel. +44 (0) 1827 216 109
sales@sodeca.co.uk

AMERICA

CHILE

Sodeca Ventiladores, SpA.

Sra. Sofía Ormazábal
Santa Bernardita 12.005
(Esquina con Puerta Sur)
Bodegas 24 a 26,
San Bernardo, Santiago, CHILE
Tel. +56 22 840 5582
ventas.chile@sodeca.com

COLOMBIA

Sodeca Latam, S.A.S.

Sra. Luisa Stella Prieto
Calle7 No. 13 A-44
Manzana 4 Lote1, Montana
Mosquera, Cundinamarca
Bogotá, COLOMBIA
Tel. +57 1 756 4213
ventascolombia@sodeca.co

PERU

Sodeca Perú, S.A.C.

Sr. Jose Luis Jiménez
C/ Mariscal Jose Luis de
Orbegoso 331. Urb. El pino,
15022, San Luis. Lima, PERÚ
Tel. +51 1 326 24 24
Cel. +51 994671594
comercial@sodeca.pe

RUSSIA

RUSSIA

Sodeca, L.L.C.

Mr. Stanislav Alifanov
Severnoye Shosse, 10 room 201
Business Park Plaza Ramstars
140105 Ramenskoye,
Moscow region, RUSSIA
Tel. +7 495 955 90 50
alifanov@sodeca.com



www.sodeca.com

